



Electro-Voice®

TELEX/EVI Audio

1 Telex Drive

Morrilton, Arkansas 72110


Phone: 1-800-685-2606


FAX: 501-354-1118

SERVICE DATA


SxA180



(301159-001)







SCHEMATIC DIAGRAM





BACK VIEW
W/O DOLLY BACK
& CASTERS



BACK VIEW

PARTS LIST

QUANTITIES SHOWN ARE FOR ONE COMPLETE UNIT

ITEM	SxA180 301159 PART NO.	QTY.	DESCRIPTION
1	800675-001	1	ENCLOSURE ASSY, BLACK WITH DOLLY PLATE, SxA180
2	301171-000	1	DL18BFA, RAW, 18" WOOFER
3	800699-001	1	GRILLE ASSY, SxA180
4	500014-000	1	AMPLIFIER MODULE ASSY, SxA180 (120V)
5	591115-000	4	FEET, RUBBER, 1.50 DIA X .75H, LAVELLE #791R-W
6	73881	1	POLE, MOUNTING, 1-3/8 X 34"LG, STL, BLK
7	74242	1	MOUNT, STAND, STEEL
8	500011-000	4	CASTOR, 2 INCH, PENN FAB #W0960
9	701408-000	2	DOLLY PIN
10	701409-000	2	STUD, 5/16 - 18 X2, THREADED ROD
11	500012-000	2	KEEPER PIN, PIVOT POINT #HAIR-7DB
12	500018-000	2	LANYARD, NYLON, PIVOT POINT #NL93F-6-2-20
13	63035-CP	4	SCREW, 10-16 X 1, PAN HD, XREC, TYPE AB, STL, BLK ZINC
14	63116-CP	6	SCREW, 8-16 X 1, TRS HD, XREC, TYPE II, TYPE AB, STL
15	63302-AE	16	SCREW, 1/4-20 X 3/4, HEX HD, STL, ZINC
16	63344-CP	2	SCREW, 8-15 X 3/4, TRS HD, XREC, TYPE AB, STL, BLK ZINC
17	63349-CP	8	SCREW, 1/4 X 20 X 1-1/4, HEX SKT HD, CAP, BLK ZINC
18	607212-LCP	6	SCREW, 10-24 X 3/4, PAN HD, XREC, BLK ZINC
19	610216-CCP	4	SCREW, 1/4-20 X 1, FLT HD, XREC, STL, BLK ZNC
20	500261-001	1	NAMEPLATE, SxA180
21	16764	1	CORD, POWER, 3 CORE, UL/CSA
ADHESIVES			
A	97207	LOCTITE "C" 24231 50 ML BTL	

Fuse is a T4AL 250V
4Amp
250V